

10508761

=> d his

(FILE 'HOME' ENTERED AT 22:05:35 ON 16 AUG 2006)

FILE 'REGISTRY' ENTERED AT 22:05:41 ON 16 AUG 2006

L1 STRUCTURE UPLOADED
L2 0 S L1
L3 STRUCTURE UPLOADED
L4 0 S L3
L5 0 S L3
L6 0 S L3 FULL
L7 STRUCTURE UPLOADED
L8 11 S L7
L9 801 S L7 FULL

FILE 'HCAPLUS' ENTERED AT 22:13:42 ON 16 AUG 2006

L10 4 S L9
L11 2 S L10 AND GIBLIN, G?/AU
L12 2 S L10 NOT L11
L13 0 S L12 AND HALL, A?/AU
L14 0 S L12 AND HURST, D?/AU
L15 0 S L12 AND KILFORD, I?/AN
L16 0 S L12 AND KILFORD, I?/AU
L17 0 S L12 AND LEWELL, X?/AU
L18 0 S L12 AND TAYLOR, A?/AU
L19 0 S L12 AND NOVELLI, R?/AU

FILE 'CAOLD' ENTERED AT 22:15:54 ON 16 AUG 2006

L20 0 S L9

=>

10508761

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal612bxr

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 FEB 27 New STN AnaVist pricing effective March 1, 2006
NEWS 4 APR 04 STN AnaVist \$500 visualization usage credit offered
NEWS 5 MAY 10 CA/Capplus enhanced with 1900-1906 U.S. patent records
NEWS 6 MAY 11 KOREAPAT updates resume
NEWS 7 MAY 19 Derwent World Patents Index to be reloaded and enhanced
NEWS 8 MAY 30 IPC 8 Rolled-up Core codes added to CA/Capplus and
USPATFULL/USPAT2
NEWS 9 MAY 30 The F-Term thesaurus is now available in CA/Capplus
NEWS 10 JUN 02 The first reclassification of IPC codes now complete in
INPADOC
NEWS 11 JUN 26 TULSA/TULSA2 reloaded and enhanced with new search and
and display fields
NEWS 12 JUN 28 Price changes in full-text patent databases EPFULL and PCTFULL
NEWS 13 JUL 11 CHEMSAFE reloaded and enhanced
NEWS 14 JUL 14 FSTA enhanced with Japanese patents
NEWS 15 JUL 19 Coverage of Research Disclosure reinstated in DWPI
NEWS 16 AUG 09 INSPEC enhanced with 1898-1968 archive

NEWS EXPRESS JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 22:05:35 ON 16 AUG 2006

=> file reg

Updated Search

10508761

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 22:05:41 ON 16 AUG 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 15 AUG 2006 HIGHEST RN 901654-60-2
DICTIONARY FILE UPDATES: 15 AUG 2006 HIGHEST RN 901654-60-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Documents and Settings\brobinson1\My Documents\stnweb\Queries\34a.str

L1 STRUCTURE UPLOADED

=> s l1

SAMPLE SEARCH INITIATED 22:06:18 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 6753 TO ITERATE

29.6% PROCESSED 2000 ITERATIONS 0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 130134 TO 139986
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=>

Uploading C:\Documents and Settings\brobinson1\My Documents\stnweb\Queries\34a.str

L3 STRUCTURE UPLOADED

=> d l3

L3 HAS NO ANSWERS
L3 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Updated Search

10508761

Structure attributes must be viewed using STN Express query preparation.

=> s l3

SAMPLE SEARCH INITIATED 22:07:15 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 6753 TO ITERATE

29.6% PROCESSED 2000 ITERATIONS 0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 130134 TO 139986
PROJECTED ANSWERS: 0 TO 0

L4 0 SEA SSS SAM L3

=> s l3

SAMPLE SEARCH INITIATED 22:07:20 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 6753 TO ITERATE

29.6% PROCESSED 2000 ITERATIONS 0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 130134 TO 139986
PROJECTED ANSWERS: 0 TO 0

L5 0 SEA SSS SAM L3

=> s l3 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 166.50 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
FULL SEARCH INITIATED 22:07:27 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 134478 TO ITERATE

100.0% PROCESSED 134478 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

L6 0 SEA SSS FUL L3

=>

Uploading C:\Documents and Settings\brobinson1\My Documents\stnweb\Queries\34y.str

L7 STRUCTURE UPLOADED


=> d l7

L7 HAS NO ANSWERS

L7 STR

Updated Search

10508761



G1 Ph,Hy

Structure attributes must be viewed using STN Express query preparation.

=> s 17

SAMPLE SEARCH INITIATED 22:13:34 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 6762 TO ITERATE

29.6% PROCESSED 2000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

11 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 130310 TO 140170
PROJECTED ANSWERS: 378 TO 1108

L8 11 SEA SSS SAM L7

=> s 17 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 166.50 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
FULL SEARCH INITIATED 22:13:38 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 134677 TO ITERATE

100.0% PROCESSED 134677 ITERATIONS
SEARCH TIME: 00.00.01

801 ANSWERS

L9 801 SEA SSS FUL L7

=> file hcaplus

Updated Search

10508761

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	338.72	338.93

FILE 'HCAPLUS' ENTERED AT 22:13:42 ON 16 AUG 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Aug 2006 VOL 145 ISS 8
FILE LAST UPDATED: 15 Aug 2006 (20060815/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l9

L10 4 L9

=> s l10 and giblin, g?/au

58 GIBLIN, G?/AU

L11 2 L10 AND GIBLIN, G?/AU

=> d l11, ibib abs fhitr, 1-2

L11 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2005:371223 HCAPLUS

DOCUMENT NUMBER: 142:430146

TITLE: Preparation of cyclopentene compounds which bind with high affinity to the EP1 receptor

INVENTOR(S): Giblin, Gerard Martin Paul; Hall, Adrian; Hurst, David Nigel; Kilford, Ian Reginald; Lewell, Xiao Qing; Naylor, Alan; Novelli, Riccardo

PATENT ASSIGNEE(S): Glaxo Group Limited, UK

SOURCE: PCT Int. Appl., 201 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005037793	A1	20050428	WO 2004-EP11364	20041006
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,				

Updated Search

10508761

LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
SN, TD, TG

EP 1670763 A1 20060621 EP 2004-765925 20041006


R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, HR

PRIORITY APPLN. INFO.:

GB 2003-23581 A 20031008
WO 2004-EP11364 W 20041006

OTHER SOURCE(S): MARPAT 142:430146

GI



AB The title compds. I [A = (un)substituted aryl, 5-6 membered heterocyclyl, bicyclic heterocyclyl; B = Ph, pyridyl; Z = O, S, SO, SO₂; R₁ = CO₂H, CN, CH₂CO₂H, etc.; R₂₁, R₂₂ = H, halo, alkyl, etc.; R₃ = (un)substituted alkyl (wherein 1 or 2 of the non-terminal carbon atoms are optionally substituted by (un)substituted NH, O, S, SO, SO₂), alkenyl, etc.; R₈, R₉ = H, Cl, F, CF₃, alkoxy, alkyl], useful in the treatment of conditions mediated by the action of PGE₂ at EP₁ receptors, were prepared. Thus, hydrolysis of (2,4-dichlorophenyl)methyl 6-{2-[2-[(2,4-dichlorophenyl)methyl]oxy]-5-(trifluoromethyl)phenyl]-1-cyclopenten-1-yl}-2-pyridinecarboxylate with 2M NaOH solution afforded II. The compds. I had an antagonist pIC₅₀ value of 6.0 to 9.5 at EP₁ receptors. The pharmaceutical composition comprising the compound I is disclosed.

IT 850861-20-OP


RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of 1,2-disubstituted cyclopentenenes which bind with high affinity to the EP₁ receptor)

RN 850861-20-0 HCAPLUS

CN 2-Pyridinecarboxylic acid, 6-[2-[5-bromo-2-[(2,4-difluorophenyl)methoxy]phenyl]-1-cyclopenten-1-yl]- (9CI) (CA INDEX NAME)

Updated Search

10508761



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2003:818387 HCAPLUS

DOCUMENT NUMBER: 139:323536

TITLE: Preparation of [2-(2-alkoxyphenyl)cyclopent-1-enyl] substituted (hetero)aromatic carboxylic acids with high affinity to the EP1 receptor

INVENTOR(S): Giblin, Gerard Martin Paul; Hall, Adrian; Hurst, David Nigel; Kilford, Ian Reginald; Lewell, Xiao Qing; Naylor, Alan; Novelli, Riccardo

PATENT ASSIGNEE(S): Glaxo Group Limited, UK

SOURCE: PCT Int. Appl., 180 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

NO

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003084917	A1	20031016	WO 2003-EP3661	20030407
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, <u>US</u> , UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE, SN, TD, TG				
CA 2481035	AA	20031016	CA 2003-2481035	20030407
AU 2003216920	A1	20031020	AU 2003-216920	20030407
EP 1492757	A1	20050105	EP 2003-712136	20030407
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003009014	A	20050111	BR 2003-9014	20030407
JP 2005522477	T2	20050728	JP 2003-582116	20030407
CN 1659131	A	20050824	CN 2003-812587	20030407
US 2005239802	A1	20051027	US 2004-508761	20040922
NO 2004004689	A	20041029	NO 2004-4689	20041029
PRIORITY APPLN. INFO.:			GB 2002-8045	A 20020408
			GB 2003-2881	A 20030207
			WO 2003-EP3661	W 20030407


Updated Search

10508761

10508761

OTHER SOURCE(S):
GI

MARPAT 139:323536




I

AB The title compds. [I; A = (un)substituted Ph, 5-6 membered heterocyclyl, bicyclic heterocyclyl; R1 = CO2R4, CONR5R6, CH2CO2R4, alkyl, etc.; R2 = halo, alkyl, CN, etc.; R3 = alkyl wherein 1 or 2 of the non-terminal carbon atoms may optionally be replaced by NR4, O, SOn (n = 0-2), etc.; R4, R5 = H, alkyl; R6 = H, alkyl, SO2aryl, etc.; R8, R9 = H, alkyl; n = 0-2], useful for treating condition which is mediated by the action of PGE2 at EP1 receptors, were prepared E.g., a multi-step synthesis of [2-(5-chloro-2-benzyloxyphenyl)cyclopent-1-enyl]benzoic acid (starting from 1,2-dibromocyclopentene and (3-ethoxycarbonylphenyl)boronic acid), was given. The compds. I had an antagonist pIC50 value of between 7.0 and 9.5 at EP1 receptors and pIC50 value of <6.0 at EP3 receptors. Pharmaceutical composition comprising the compound I is claimed.

IT 612832-50-5P
RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of [2-(2-alkoxyphenyl)cyclopent-1-enyl] substituted (hetero)aromatic carboxylic acids with high affinity to the EP1 receptor)

RN 612832-50-5 HCAPLUS

CN 3-Pyridinecarboxylic acid, 5-[2-[2-(phenylmethoxy)-5-(trifluoromethyl)phenyl]-1-cyclopenten-1-yl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d his

(FILE 'HOME' ENTERED AT 22:05:35 ON 16 AUG 2006)

FILE 'REGISTRY' ENTERED AT 22:05:41 ON 16 AUG 2006

L1 STRUCTURE UPLOADED
L2 0 S L1

Updated Search

10508761

L3 STRUCTURE UPLOADED
L4 0 S L3
L5 0 S L3
L6 0 S L3 FULL
L7 STRUCTURE UPLOADED
L8 11 S L7
L9 801 S L7 FULL

FILE 'HCAPLUS' ENTERED AT 22:13:42 ON 16 AUG 2006

L10 4 S L9
L11 2 S L10 AND GIBLIN, G?/AU

=> s l10 not l11
L12 2 L10 NOT L11

=> s l12 and hall, a?/au
 2142 HALL, A?/AU
L13 0 L12 AND HALL, A?/AU

=> s l12 and hurst, d?/au
 286 HURST, D?/AU
L14 0 L12 AND HURST, D?/AU

=> s l12 and kilford, i?/an
 0 KILFORD, I?/AN
L15 0 L12 AND KILFORD, I?/AN

=> s l12 and kilford, i?/au
 10 KILFORD, I?/AU
L16 0 L12 AND KILFORD, I?/AU

=> s l12 and lewell, x?/au
 32 LEWELL, X?/AU
L17 0 L12 AND LEWELL, X?/AU

=> s l12 and taylor, a?/au
 4316 TAYLOR, A?/AU
L18 0 L12 AND TAYLOR, A?/AU

=> s l12 and novelli, r?/au
 38 NOVELLI, R?/AU
L19 0 L12 AND NOVELLI, R?/AU

=> d l12, ibib abs hitstr, 1-2

L12 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1971:76357 HCAPLUS

DOCUMENT NUMBER: 74:76357

TITLE: Noel bismethylene transfer to 2'-hydroxylated
 isoflavones by dimethylsulfoxonium methyllide: the
 reaction and its products

AUTHOR(S): Crombie, Leslie; Davies, John Salmon; Whiting, Donald
 A.

CORPORATE SOURCE: Dep. Chem., Univ. Coll. New South Wales, Cardiff, UK
SOURCE: Journal of the Chemical Society [Section] C: Organic
 (1971), (2), 304-12

CODEN: JSOOAX; ISSN: 0022-4952

DOCUMENT TYPE: Journal

LANGUAGE: English

Updated Search

10508761

OTHER SOURCE(S): CASREACT 74:76357

GI For diagram(s), see printed CA Issue.


AB Isoderritol isoflavone (I) reacted with excess ylide $\text{Me}_2\text{S}(\text{O})\text{:CH}_2$ to give a hydroxycyclopentene (II) and by-product decarboxyisoroteno-nonic acid (III). The mechanism [ring cleavage, methylene transfer, and recyclization via the vinylcoumaranone (IV)] was discussed. Acid rearrangement of II gave the stilbenoid cyclopentenone (V), and the dihydro derivative (VI) of II gave a hexacyclic compound (VII). Derritol isoflavone reacted similarly with $\text{Me}_2\text{S}(\text{O})\text{:CH}_2$. Equimolar amts. of I and $\text{Me}_2\text{S}(\text{O})\text{:CH}_2$ gave IV.

IT 29517-95-1P 29558-29-0P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


RN 29517-95-1 HCAPLUS

CN 2-Cyclopenten-1-one, 3-(2-hydroxy-4,5-dimethoxyphenyl)-2-(4-hydroxy-2-isopropyl-5-benzofuranyl)-, 3-acetate (8CI) (CA INDEX NAME)



RN 29558-29-0 HCAPLUS

CN 2-Cyclopenten-1-one, 3-(2-hydroxy-4,5-dimethoxyphenyl)-2-(4-hydroxy-2-isopropyl-5-benzofuranyl)-, diacetate (8CI) (CA INDEX NAME)



L12 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1970:435251 HCAPLUS

DOCUMENT NUMBER: 73:35251

TITLE: Bis-methylene transfer to 2'-hydroxyisoflavones by dimethylsulfoxonium methylide

AUTHOR(S): Crombie, Leslie; Davies, John Salmon; Whiting, D. A.

CORPORATE SOURCE: Dep. Chem., Univ. Coll. Cardiff, Cardiff, UK

SOURCE: Journal of the Chemical Society [Section] D: Chemical Communications (1970), 9, 535-6

Updated Search

10508761

CODEN: CCJDAO; ISSN: 0577-6171

DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 73:35251

GI For diagram(s), see printed CA Issue.


AB Isoderritol isoflavone (I) with 1 and 5 moles Me₂S+O-CH₂ gave II and double methylene transfer product III, resp., and a small amount of IV. III was also obtained from II under similar reaction conditions, suggesting II as probable intermediate, and III rearranged readily in acid to V. Dihydro derivative (VI) of III formed a monoacetate (VII) whose OH function was readily replaced in acids to give VIII or IX (R = H or D) depending on reaction conditions.

IT 29517-95-1P 29558-29-0P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


RN 29517-95-1 HCAPLUS

CN 2-Cyclopenten-1-one, 3-(2-hydroxy-4,5-dimethoxyphenyl)-2-(4-hydroxy-2-isopropyl-5-benzofuranyl)-, 3-acetate (8CI) (CA INDEX NAME)



RN 29558-29-0 HCAPLUS

CN 2-Cyclopenten-1-one, 3-(2-hydroxy-4,5-dimethoxyphenyl)-2-(4-hydroxy-2-isopropyl-5-benzofuranyl)-, diacetate (8CI) (CA INDEX NAME)



=> d his

(FILE 'HOME' ENTERED AT 22:05:35 ON 16 AUG 2006)

FILE 'REGISTRY' ENTERED AT 22:05:41 ON 16 AUG 2006

L1 STRUCTURE UPLOADED

Updated Search

10508761

L2 0 S L1
L3 STRUCTURE UPLOADED
L4 0 S L3
L5 0 S L3
L6 0 S L3 FULL
L7 STRUCTURE UPLOADED
L8 11 S L7
L9 801 S L7 FULL

FILE 'HCAPLUS' ENTERED AT 22:13:42 ON 16 AUG 2006

L10 4 S L9
L11 2 S L10 AND GIBLIN, G?/AU
L12 2 S L10 NOT L11
L13 0 S L12 AND HALL, A?/AU
L14 0 S L12 AND HURST, D?/AU
L15 0 S L12 AND KILFORD, I?/AN
L16 0 S L12 AND KILFORD, I?/AU
L17 0 S L12 AND LEWELL, X?/AU
L18 0 S L12 AND TAYLOR, A?/AU
L19 0 S L12 AND NOVELLI, R?/AU

=> file caold

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
30.56	369.49

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-3.00	-3.00

CA SUBSCRIBER PRICE

FILE 'CAOLD' ENTERED AT 22:15:54 ON 16 AUG 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.